


Parksite


THERMA TRU®
DOORS




2023 Fiberglass *Best Sellers* Door Catalog

Why Parksite?

- Quick turnaround times on assembled and pre-finished doors from our state-of-the-art onsite production facilities.
- Highly knowledgeable customer service and sales associates dedicated to help you with selection, order placement, technical, and training support.
- Best in class operations and logistics teams ensure quality is delivered.
- A transportation fleet that is dedicated to provide what you need, when you need it, shipped complete, and on-time.



SCAN TO TOUR
OUR PLANT



WEBCP DOOR CONFIGURATOR

WebCP Online Door Quote and Order Program is our full quoting, configuration, and ordering experience exclusively for Therma-Tru® doors built by Parksite. WebCP is available with 24/7 access through your web browser on any device.

To sign up, contact your Parksite Representative.



WEB BASED PLATFORM

24/7 access through your web browser. Use your desktop, laptop, tablet, or phone!



CONFIGURATION

User-friendly click format. Configure doors right on the quote! **NEW!** Configure doors direct from Therma-Tru base Style numbers.



QUOTING

Create new or edit existing quotes quickly. Email, download or print paperwork to share with clients.



ORDERS

Create and send orders or convert a quote to an order with a click. Attach related documents to submit with an order. Search past orders.



ACCOUNT CUSTOMIZATION

We can add your markups or hide components based on your requirements.

A Complete Door System

Engineered to work together.

A Therma-Tru® door system with genuine Therma-Tru components is engineered with craftsman precision to help provide weather resistance and energy efficiency. So when a homeowner chooses a complete Therma-Tru door system, you can be confident it will perform as exceptionally as it looks.

Therma-Tru specifies all of the components to work together at the most critical points where an ordinary door system's performance can fail, letting in air and moisture.




1 Composite Door Frame

A Therma-Tru composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.




2 Removable Weatherstrip

Our resilient design compresses when closed and springs back when open. It's protected by a durable jacket for long-lasting sealing power.



3 Hardware

Choose from beautiful options that will complement the look of your home and help bring you security and peace of mind.



4 Ball-Bearing Hinges

Hinges with ball-bearings protect each hinge pivot, offering added support and stability to help keep your door opening and closing smoothly.



5 7-Shape Corner Seal Pads

(Inswing Only) This innovative design creates a protective air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



6 Composite Adjustable Sills

These allow flexibility to adjust the sill cap vertically to close gaps, helping to maintain a tight seal between the sill and the bottom of the door.



7 Dual Bulb / Dual-Fin Bottom Sweep

(Inswing Only) Two bulbs compress to sit tight against the sill, while two fins act like walls to form barriers and a built-in rain deflector pushes moisture away.



8 Mullion Options

Mullions not only give the hinges and lock a place to anchor, they come in a range of sizes. See our catalog for a full range of options available.



PrismaGuard® Premium Stain

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.



Lasting beauty and color.


Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.


Stain Options (Shown in Fir Grain)



Tumbleweed



Acorn




Wildflower Honey




Rustic Clay



Sweet Date



Barley



Bark



Pinecone



Rhubarb




Mulberry




Burnt Sienna



Autumn Harvest



New Earth



Driftwood



Timber



Shale



Raven

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED
WARRANTY
Fiber-Classic,
Smooth-Star, Pulse
& Steel



Durable
Topcoat



Professional
Application

Explore a nature-inspired color palette of premium stain and paint designed to enhance the overall beauty of the entry.

Contact your Parksite Sales Representative to obtain 4" x 4" samples of select PrismaGuard finish colors.

Note: Additional PrismaGuard Stain colors available upon request.



PrismaGuard® Premium Paint

Add a pop of color and tailor the look of the entry.

PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.

Standard Paint Options

Custom paint color matching is available. Please consult with your Therma-Tru dealer for more information.



See www.thermatru.com for a copy of the finish warranty.

Note: See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. Finish colors may vary from an actual application due to fluctuations in finishing or printing. All trademarks are property of their respective owners.

6'8" Flush Glazed Entry Doors / Sidelites



Artissa Collection
Fir

CCA260-SDLLE / CCA220SL-SDLLE
6'8": 3'0" / 6'8": 14", 12"




Smooth
SDL / Low-E Glass

S2103-SDLLE
6'8": 3'0"




Mahogany
Low-E Glass

FCM4810-LE
6'8": 3'0"



Smooth
SDL / Low-E Glass

S5720-SDLF2LE / S5720-SDLF2LE
6'8": 3'0", 2'8" / 6'8": 14"



Smooth
Internal Blinds / Low-E Glass

S2600-LE
6'8": 3'0"



Artissa Collection
Fir

CCA240-SDLLE / CCA3450SL-SDLLE
6'8": 3'0" / 6'8": 14"



Smooth
Grilles Between Glass / Low-E Glass

S2103-GBGFKLE
6'8": 3'0"




Visionary Collection
Fir

CCA2380-SDLF5LE / CCA3400SL-LE
6'8": 3'0" / 6'8": 14"



Artissa Collection
Fir

CCA230-SDLLE / CCA210SL-LE
6'8": 3'0" / 6'8": 14", 12"



Smooth
SDL / Low-E Glass

S5700-SDLF2LE / S5700SL-SDLF2LE
6'8": 3'0", 2'8" / 6'8": 14"




Mahogany
SDL / Low-E Glass

FCM4812-SDLF1LE
6'8": 3'0"



Smooth
Low-E Glass

S2000-LE / S2000SL-LE
6'8": 3'0", 2'8" / 6'8": 14"



Smooth
SDL / Low-E Glass

S5710-SDLF2LE / S5710SL-SDLF2LE
6'8": 3'0", 2'8" / 6'8": 14"




Visionary Collection
Fir

CCA2330-SDLF3LE / CCA3400SL-LE
6'8": 3'0" / 6'8": 14"



Smooth
SDL / Low-E Glass

S5725-SDLF1LE / S2010SL-SDLF1LE
6'8": 3'0" / 6'8": 14"



Artissa Collection
Fir

CCA2350-SDL5LE / DRS2131SL
6'8": 3'0" / 6'8": 14", 12"

Flush-Glazed Glass

Our flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.

Strength is built in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal.

This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)



Classic Craft Fir Grain, Low-E Glass with SDLs, CCA230-SDLLE / CCA3400SL

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Thermo-Tru door system in compliance with a Thermo-Tru product approval. Impact-rated products not available.


6'8" Blinds / SDLs / GBG Entry Doors / Sidelites



Mahogany
Low-E Glass
FCM62-LE / FCM62SL-LE
6'8": 3'0" / 6'8": 14"



Oak
Internal Blinds / Low-E Glass
1964P-RTLE
6'8": 3'0"



Smooth
Grilles Between Glass / Low-E Glass
S108-GBGFWLE / S1170SL-GBGFWLE
6'8": 3'0", 2'8" / 6'8": 14", 12"



Mahogany
Grilles Between Glass / Low-E Glass
FCM198-GBGFWLE / FCM12102SL-GBGFWLE
6'8": 3'0", 2'8" / 6'8": 14", 12"



Oak
Grilles Between Glass / Low-E Glass
FC65-GBGFWLE
6'8": 3'0", 2'8"



Smooth
SDL / Low-E Glass
S6022-SDLLE / S210SL-LE
6'8": 3'0", 2'8" / 6'8": 14"



Smooth
Internal Blinds / Low-E Glass
S6055-RTLE
6'8": 3'0"




Oak
Grilles Between Glass / Low-E Glass
1289-GBGFWLE
6'8": 3'0"





Mahogany
Internal Blinds

FCM6055-RTLE
6'8": 3'0"




Mahogany
SDL / Low-E Glass

FCM608-SDLLE / DRS2131SL
6'8": 3'0" / 6'8": 14", 12"



Smooth
SDL / Low-E Glass

S262-SDLLE / DRS2131SL
6'8": 3'0", 2'8" / 6'8": 14", 12"



Mahogany

FCM1284-GBGFWLE / FCM12102SL-GBGFWLE
6'8": 3'0" / 6'8": 14", 12"




Classic Craft Fir Grain, Low-E Glass with SDLs, CCA230-SDLLE / CCA3400SL



Mahogany
Internal Blinds / Low-E Glass

FCM1286-RTLE
6'8": 3'0"



Smooth

S6063-GBGFWLE / S308SL-GBGFWLE
6'8": 3'6", 3'0", 2'8" / 6'8": 14", 12"



Mahogany
Grilles Between Glass / Low-E Glass

FCM65-GBGFWLE / FCM62SL-LE
6'8": 3'0" / 6'8": 14"




Oak

1286-RTLE
6'8": 3'0"

6'8" Privacy Glass Entry Doors




Smooth
Axis[®]
S1650-FF
6'8": 3'0", 2'8"




Smooth
Axis[®]
S2620-FF
6'8": 3'0", 2'8"



Smooth
Axis[®]
S2AX-FF
6'8": 3'6", 3'0", 2'8"



Smooth
Satin Etch
S2610XE-FF
6'8": 3'0", 2'8"



Smooth
Chinchilla
S605XJ-SDL
6'8": 3'0", 2'8"



XC: Chord



XR: Rainglass



XE: Satin Etch



Mahogany
Chord
FCM606XC-SDL
6'8": 3'0", 2'8"




XR: Rainglass



XE: Satin Etch



XJ: Chinchilla



Smooth
Rainglass
S607XR-SDL
6'8": 3'0", 2'8"



XE: Satin Etch



XJ: Chinchilla



XC: Chord



Mahogany
Satin Etch
FCM608XE-SDL
6'8": 3'0", 2'8"



XJ: Chinchilla



XC: Chord



XR: Rainglass



Mahogany
Satin Etch
FCM61XE
6'8": 3'0"



Oak
Satin Etch
FC61XE
6'8": 3'0", 2'8"



Smooth
Axis[®]
S296XE
6'8": 3'0", 2'8", 2'6" N



Smooth
Axis[®]
S1645-FF
6'8": 3'0", 2'8", 2'6" N

6'8" Solid / Fire-rated Entry Doors



Oak

FC809
6'8": 3'0"



Founders Collection
Mahogany

CCR205
6'8": 3'0"




Artissa Collection
Fir

CCA1133-DDBF4
6'8": 3'0"





Mahogany

FCM60
6'8": 3'0"



Smooth
Solid / 20 Min. Fire, WBDR

S1100 / SSF1100  
6'8": 3'0", 2'8"




Smooth
Solid / 20 Min. Fire, WBDR

S120 / SSF120  
6'8": 3'0" / 6'8": 3'0", 2'8"



Smooth
Solid, WBDR / 20 Min. Fire, WBDR

S210  / SSF160 
6'8": 3'0", 2'8", 2'6" N /
6'8": 3'0", 2'8"



Smooth
Solid / 20 Min. Fire, WBDR

S100 / SSF100  
6'8": 3'6", 3'0", 2'8", 2'6" /
6'8": 3'0"





Smooth
Solid, WBDR / 20 Min. Fire, WBDR

S200  / SSF200 
6'8": 3'0"



Smooth
Solid, WBDR / 20 Min. Fire, WBDR

S120  / SSF120 
6'8": 3'0" / 6'8": 3'0", 2'8"



Smooth
Solid, WBDR / 20 Min. Fire, WBDR

S4800  / SSF4800 
6'8": 3'0", 2'8"



Smooth
Solid, WBDR / 20 Min. Fire, WBDR

S600  / SSF600 
6'8": 3'0", 2'8"

8'0" Entry Doors



Artissa Collection
Fir
CCA8230-SDLLE
8'0": 3'0"




Artissa Collection
Fir
CCA8240-SDLLE
8'0": 3'0"




Artissa Collection
Fir
CCA8260-SDLLE
8'0": 3'0"



Artissa Collection
Fir
CCA8210-SDLLE
8'0": 3'0"



Oak
Internal Blinds
81225P-RTLE
8'0": 3'0"




Smooth
Internal Blinds
S81225-RTLE
8'0": 3'0"



Oak
Grilles Between Glass / Low-E Glass
81946P-GBGFWLE
8'0": 3'0"



Oak
Grilles Between Glass / Low-E Glass
81944P-GBGFWLE
8'0": 3'0"



Smooth
SDL / Chinchilla
S8600XJ
8'0": 3'0"




XC: Chord



XR: Rainglass



XE: Satin Etch



Mahogany
SDL / Chord
S8606XC-SDL
8'0": 3'0"




XR: Rainglass



XE: Satin Etch



XJ: Chinchilla



Smooth
SDL / Rainglass
S8607XR-SDL
8'0": 3'0"




XE: Satin Etch



XJ: Chinchilla



XC: Chord



Mahogany
SDL / Satin Etch
S8608XE-SDL
8'0": 3'0"



XJ: Chinchilla




XC: Chord



XR: Rainglass



Smooth
SDL / Low-E Glass
S85715-SDLF1LE
8'0": 3'0"




Smooth
SDL / Low-E Glass
S85700-SDLF2LE
8'0": 3'0"



Smooth
SDL / Low-E Glass
S82103-SDLF1LE
8'0": 3'0"



Smooth
Low-E Glass
S8000-LE
8'0": 3'0"



Oak
Internal Blinds / Low-E Glass
81964P-RTLE
8'0": 3'0"



Smooth
Internal Blinds
S8682-RTLE
8'0": 3'0"




Oak
Low-E Glass
81943P-LE
8'0": 3'0"




Smooth
Low-E Glass
S8000-LE
8'0": 3'0"




Smooth
Chinchilla
S83XJ
8'0": 3'0"



Smooth
Axis
S83AX
8'0": 3'0"





Smooth
SDL / Low-E Glass
S8691-SDLF2LE
8'0": 3'0"



Smooth
20 Min. Fire-rated
SSF81100
8'0": 3'0"

WebCP CONFIGURE BY STYLE NUMBER



New! BUILD BY STYLE NUMBER

In addition to other graphical and usability improvements, our latest WebCP door configurator release now allows you to **build line item quotes and orders by simply entering the Therma-Tru® base style number** – making the whole configuration process easier, more accurate and saving you quality time.

HOW IT WORKS




LOCATE

Find your desired door style number* from any ParksitE or Therma-Tru® catalog or website.



LOG INTO WebCP

Start your new line item, select appropriate selection for your Fiberglass or Steel door.



ENTER BASE STYLE

Enter the door's base style number. For instance, if your selected door is FCM608-SDLE, enter FCM608.




SELECT BUILD OPTIONS

Your door is already configured! Select remaining options like size, glass type, finish and hardware!

LOG IN & TRY IT NOW!



OR CONTACT YOUR PARKSITE REP FOR MORE INFO!



Filing a claim online?

WHAT YOU CAN EXPECT



within
24 HOURS

A response with an assigned case number



within
48 HOURS


A response with resolution recommendation



SCAN OR CLICK
THE CODE ON
THE LEFT.

Or enter www.parksite.com/tt-webclaim
in your browser address bar.

TIP: Be sure to bookmark the webpage as a favorite for future access.



Alternatively, you can visit the Therma-Tru brand page on the Parksite website, scroll to the bottom and click the **CLAIM SUBMISSION** button in the **RESOURCES** section.

CLAIM SUBMISSION

1. BEGIN YOUR CLAIM SUBMISSION

- Fill out all required fields.

Therma-Tru Door Claim

*** indicates required fields

Contact Information:

Contact Name:*** Contact Email:*** Contact Phone Number:***

Account Name:*** Account Location:***
If account has multiple locations, please
0 of 20 max characters

2. DETAIL EXPLANATION / PHOTOS

- Please provide room, location, unit size, and explanation of the issue.
- Please provide Full View photo and a photo of the specific issue.

NOTE: If a photo is not necessary, please upload a copy of your sales order

Detail Explanation of the Issue:***

Please provide as much detail as possible to expedite your claim.

Photo(s) of Issue:***

Drop files here or
Select Files

Accepted file types: jpg, jpeg, png, bmp, pdf, gif, eps, tiff, Max file size: 16 MB, Max files: 4.
At least one image of the issue must be attached.

3. CLICK SUBMIT

Submit



Scan here to view our
current full Therma-Tru
stock catalog!



115 31st Street South
Fargo, ND 58103
800-279-2324

www.parksite.com

All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company are part of Fortune Brands Innovations, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.